

HPV (human papillomavirus) is the most common STD in the United States.

There are over 100 different types of HPV.

# Signs and Symptoms

- Most types do not cause symptoms.
- The types of HPV that cause cervical cancer usually cause no symptoms.
- Some strands of HPV cause genital warts. Signs of genital warts may be:
  - Soft, pink or flesh-colored bumps or swellings on or near the genitals, anus or upper thigh
  - Cauliflower-like growths on or near genitals, anus or upper thigh area
- Most people who develop warts do so within 3-6 months.

### **Transmission**

- Anal or vaginal sex
- Infected mother to baby at vaginal birth
- Oral sex transmission is probably rare.

#### Prevention

- Abstain from oral, anal and vaginal sex
- Use condoms/barriers consistently and correctly for oral, anal or vaginal sex.
- Get regular, routine pelvic exams that include a pap smear test (women).
- Get regular, routine health care exams, including STD tests.
- If a partner has HPV, avoid sexual contact if warts are present and use condoms at all times.

For more information about STDs or for getting tested and treated, visit our web site...

www.kingcounty.gov/health/std

#### **Treatment**

- See a health care provider for exam and tests to figure out the best treatment.
- There is no cure for HPV, but warts can be removed.
- Vaccines to prevent some types for HPV in women are now available.

### If Not Treated

- Increased risk for cervical/penile cancer
- Increased risk for HIV infection
- Can be passed to infant at delivery; may cause warts in baby's throat or voice box

## If You Have HPV

- Refrain from sexual contact (oral, anal or vaginal sex) if warts are present. Use condoms or barriers at other times.
- Learn about HPV and seek support from local groups or web sites.
- Seek medical care, including STD tests.
- Take all medicines as prescribed.
- Notify recent sex partners that they were exposed to HPV and talk to new partners about it.
- Have yearly STD screens including a pap smear test as indicated if you are female and ever have been sexually active.
- If pregnant, get tested for STDs and HIV.

